

# ME 637 - Particle II

Clarkson University

# Large-Eddy Simulation

Goodarz Ahmadi

Department of Mechanical and Aeronautical Engineering  
Clarkson University  
Potsdam, NY 13699-5725

ME 637-Particle II

G. Ahmadi

# Large-Eddy Simulation

Clarkson University

Mass



$$\frac{\partial v_i}{\partial x_i} = 0$$

Momentum

$$\rho \left( \frac{\partial v_i}{\partial t} + v_j \frac{\partial v_i}{\partial x_j} \right) = \frac{\partial t_{ji}}{\partial x_j} + \rho f_i$$

Newtonian

$$t_{ij} = -p \delta_{ij} + \mu (v_{i,j} + v_{j,i})$$

ME 637-Particle II

G. Ahmadi

# Large-Eddy Simulation

Clarkson University

## Outline

- ▶ Filtering
- ▶ Large Scales and Subgrid Scales
- ▶ Subgrid Scales Stresses
- ▶ Leonard Stress
- ▶ Smogorinski Model
- ▶ Cross Stress

ME 637-Particle II

G. Ahmadi

# Large-Eddy Simulation

Clarkson University

Decomposition

$$v_i = \bar{v}_i + v'_i$$

Large Scale

$$t_{ij} = \bar{t}_{ij} + t'_{ij}$$

Subgrid Scale

$$p = \bar{p} + p'$$

Filtered  
Large Scale

$$\bar{\phi}(x) = \int_D G(x, x') \phi(x') dx'$$

Note That

$$\bar{\phi} \neq \bar{\bar{\phi}} \quad \bar{\phi}' \neq 0$$

ME 637-Particle II

G. Ahmadi

# Filtered Equations

Clarkson University

$$\frac{\partial \bar{v}_i}{\partial x_i} = 0$$

$$\rho \left( \frac{\partial \bar{v}_i}{\partial t} + v_j \frac{\partial \bar{v}_i}{\partial x_j} \right) = \frac{\partial \bar{t}_{ji}}{\partial x_j} + \frac{\partial t_{ji}^s}{\partial x_j} + \rho f_i$$

## Subgrid-Scale Stress Tensor

$$t_{ji}^s = -\rho \left( \bar{v}_j \bar{v}_i - \bar{v}'_j \bar{v}'_i \right)$$

ME 637-Particle II

G. Ahmadi

# Subgrid-Scale Stress Tensor

Clarkson University

$$t_{ji}^s = t_{ji}^R + t_{ji}^L + t_{ji}^C$$

Reynolds  
Stresses

$$t_{ji}^R = -\rho \bar{v}'_j \bar{v}'_i$$

Leonard  
Stresses

$$t_{ji}^L = -\rho \left( \bar{v}'_j \bar{v}'_i - \bar{v}_j \bar{v}_i \right)$$

Cross  
Stresses

$$t_{ji}^C = -\rho \left( \bar{v}_j \bar{v}_i + \bar{v}'_i \bar{v}'_j \right)$$

ME 637-Particle II

G. Ahmadi

# Reynolds Stresses

Clarkson University

$$t_{ji}^R = 2v_T \bar{D}_{ji}$$

$$\bar{D}_{ji} = \frac{1}{2} \left( \frac{\partial \bar{v}_j}{\partial x_i} + \frac{\partial \bar{v}_i}{\partial x_j} \right)$$

Smagorinsky  
Model

$$v_T = (c_s \Delta)^2 \left( \bar{D}_{kl} \bar{D}_{kl} \right)^{\frac{1}{2}}$$

Grid Size

$$\Delta = (\Delta_1 \Delta_2 \Delta_3)^{\frac{1}{3}}$$

Smagorinsky Constant

$$c_s \approx 0.21$$

ME 637-Particle II

G. Ahmadi

# Cross Stresses

Clarkson University

$$t_{ji}^C = -\rho c_r \left( \bar{u}_j \bar{u}_i - \bar{u}'_j \bar{u}'_i \right)$$

Speziale  
Galilean Invariance





$$c_r = 1$$

Leonard Stresses are Evaluated

$$t_{ji}^L = -\rho \left( \bar{v}'_j \bar{v}'_i - \bar{v}_j \bar{v}_i \right)$$


ME 637-Particle II

G. Ahmadi



# LES

Clarkson  
University



ME 637

J. Ahmadi

# Large-Eddy Simulation

Clarkson  
University

## Conclusions

- ▶ Direct Numerical Simulation
- ▶ Filtering and Subgrid Scales
- ▶ Subgrid Scales Stresses
- ▶ Leonard Stress and Cross Stress
- ▶ Smogorinski Model

ME 637-Particle II

G. Ahmadi

# Large-Eddy Simulation

Clarkson  
University

# Thank you!

# Questions?

ME 637-Particle II

G. Ahmadi